



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL1956-R2								
Application Type	Revision								
Code Version	2007								
Application Status	Approved								
Comments									
Archived									
Product Manufacturer	TAMKO Building Products, Inc.								
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (800) 641-4691 Ext 2394 fred_oconnor@tamko.com								
Authorized Signature	Kerri Eden kerri_eden@tamko.com								
Technical Representative	Kerri Eden								
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (417) 624-6644 Ext 2305 kerri_eden@tamko.com								
Quality Assurance Representative									
Address/Phone/Email									
Category	Roofing								
Subcategory	Asphalt Shingles								
Compliance Method	Certification Mark or Listing								
Certification Agency	Underwriters Laboratories Inc.								
Validated By	Robert J. M. Nieminen, PE Validation Checklist - Hardcopy Received								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>ASTM D3161</td> <td>2003</td> </tr> <tr> <td>ASTM D3462</td> <td>2004</td> </tr> <tr> <td>ASTM D7158</td> <td>2005</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	ASTM D3161	2003	ASTM D3462	2004	ASTM D7158	2005
<u>Standard</u>	<u>Year</u>								
ASTM D3161	2003								
ASTM D3462	2004								
ASTM D7158	2005								
Equivalence of Product Standards									
Certified By									

Product Approval Method

Method 1 Option A

Date Submitted

08/07/2008

Date Validated

11/10/2008

Date Pending FBC Approval

11/11/2008

Date Approved

12/10/2008

Summary of Products		
FL #	Model, Number or Name	Description
1956.1	Elite Glass-Seal AR	A three tab asphalt shingle.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater.		Certification Agency Certificate FL1956_R2_C_CAC_Tamko_shingles.pdf FL1956_R2_C_CAC_Tamko_Service_Conf_FL_1956.pdf Quality Assurance Contract Expiration Date 07/16/2010 Installation Instructions FL1956_R2_II_GlassSeal_EliteApp.pdf FL1956_R2_II_GS_GSElite_F.pdf Verified By: Robert Nieminen 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.2	Glass-Seal AR	A 3 tab asphalt shingle.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater.		Certification Agency Certificate FL1956_R2_C_CAC_Tamko_shingles.pdf FL1956_R2_C_CAC_Tamko_Service_Conf_FL_1956.pdf Quality Assurance Contract Expiration Date 07/16/2010 Installation Instructions FL1956_R2_II_GlassSeal_EliteApp.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.3	Heritage 30 AR	A dimensional asphalt shingle.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater.		Certification Agency Certificate FL1956_R2_C_CAC_Tamko_shingles.pdf FL1956_R2_C_CAC_Tamko_Service_Conf_FL_1956.pdf Quality Assurance Contract Expiration Date 07/16/2010 Installation Instructions FL1956_R2_II_hert_30_app_inst.pdf FL1956_R2_II_hert_30_app_inst_f.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.4	Heritage 50 AR	A dimensional asphalt shingle.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater.		Certification Agency Certificate FL1956_R2_C_CAC_Tamko_shingles.pdf FL1956_R2_C_CAC_Tamko_Service_Conf_FL_1956.pdf Quality Assurance Contract Expiration Date 07/16/2010 Installation Instructions FL1956_R2_II_hert_50_app_inst.pdf FL1956_R2_II_hert_50_app_inst_f.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.5	Heritage XL AR	A dimensional asphalt shingle.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater.		Certification Agency Certificate FL1956_R2_C_CAC_Tamko_shingles.pdf FL1956_R2_C_CAC_Tamko_Service_Conf_FL_1956.pdf Quality Assurance Contract Expiration Date 07/16/2010 Installation Instructions FL1956_R2_II_hert_xl_app_inst.pdf FL1956_R2_II_hert_xl_app_inst_f.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports

[Back](#)

[Next](#)

[DCA Administration](#)

**Department of Community Affairs
Florida Building Code Online
Codes and Standards**

2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100
(850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

