



## Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL682-R2
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	TAMKO Building Products, Inc.
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (800) 641-4691 Ext 2394 fred_oconnor@tamko.com
Authorized Signature	Kerri Eden kerri_eden@tamko.com
Technical Representative	Frederick J. O'Connor
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (800) 641-4691 fred_oconnor@tamko.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Roofing
Subcategory	Products Introduced as a Result of New Technology
Compliance Method	Certification Mark or Listing
Certification Agency	Underwriters Laboratories Inc.
Validated By	Robert J. M. Nieminen, PE  Validation Checklist - Hardcopy Received
Referenced Standard and Year (of Standard)	<b>Standard</b> UL 1897
	<b>Year</b> 1998
Equivalence of Product Standards Certified By	

Product Approval Method	Method 1 Option A
Date Submitted	07/25/2008
Date Validated	11/05/2008
Date Pending FBC Approval	11/07/2008
Date Approved	12/10/2008

**Summary of Products**

FL #	Model, Number or Name	Description
682.1	Lamarite Slate	A heavy weight composite shingle material.
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> +N/A/-82.5 <b>Other:</b> Shall only be used on roof slopes of 3:12 or greater. The Design Pressure noted in this application reflects the passing test pressure after a 2-to-1 margin of safety has been applied.		<b>Certification Agency Certificate</b> <a href="#">FL682_R2_C_CAC_lam_ul_1897_listing.pdf</a> <a href="#">FL682_R2_C_CAC_Tamko_Service_Conf_FL_682.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 07/16/2010 <b>Installation Instructions</b> <a href="#">FL682_R2_II_lam_sl_app_ins.pdf</a> Verified By: Robert Nieminen PE-59166 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:

[Back](#)

[Next](#)

[DCA Administration](#)

**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**  
 2555 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-2100  
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

**Product Approval Accepts:**

